


*Fixed support mounts*For 7/16" diameter rod, combine with pad bracket (page 19) and support pad (page 50).

ITEM #	DESCRIPTION	STYLE	MOUNT HEIGHT
14400	FIXED SUPPORT MOUNT	STRAIGHT	3-1/2"
14401	FIXED SUPPORT MOUNT	STRAIGHT	4-1/2"
14402	FIXED SUPPORT MOUNT	STRAIGHT	6"
14403	FIXED SUPPORT MOUNT	OFFSET	3-1/2"
14404	FIXED SUPPORT MOUNT	OFFSET	4-1/2"
14405	FIXED SUPPORT MOUNT	OFFSET	6"

Phone: 727 532-0161 Fax: 727 532-0191







Adjustable angle support mounts

Straight style allows the pad to be set anywhere in a 60 degree range, offset style allows the pad to be set anywhere in a 180 degree range, for 7/16" diameter rod, combine with pad bracket (page 19) and support pad (page 50).

ITEM#	DESCRIPTION	STYLE	MOUNT HEIGHT
14500	ADJUSTABLE ANGLE SUPPORT MOUNT	STRAIGHT	3-1/2"
14501	ADJUSTABLE ANGLE SUPPORT MOUNT	STRAIGHT	4-1/2"
14502	ADJUSTABLE ANGLE SUPPORT MOUNT	STRAIGHT	6"
14513	ADJUSTABLE ANGLE SUPPORT MOUNT	OFFSET	3-1/2"
14514	ADJUSTABLE ANGLE SUPPORT MOUNT	OFFSET	4-1/2"
14515	ADJUSTABLE ANGLE SUPPORT MOUNT	OFFSET	6"

Phone: 727 532-0161 Fax: 727 532-0191

www.wogtechdesigns.com

Support Pad Mounting






Shown with pad and pad bracket

Fixed rail support mounts

For 7/16" diameter rod, combine with pad bracket (page 19) and support pad (page 50). Custom heights available.

ITEM#	DESCRIPTION	RAIL COLLAR SIZE	MOUNT HEIGHT
14540	FIXED RAIL SUPPORT MOUNT	3/4"	4"
14542	FIXED RAIL SUPPORT MOUNT	7/8"	4"
14544	FIXED RAIL SUPPORT MOUNT	1"	4"





12220

Mounting slots

Lateral L-style support mountsUsed for custom flat lateral supports.

ITEM#	DESCRIPTION	MATERIAL TYPE	SIZE	ANGLE
12200	LATERAL L-STYLE SUPPORT MOUNT	1/8" STEEL	3" X 3" X 3"HIGH	90 DEGREE
12210	LATERAL L-STYLE SUPPORT MOUNT	1/8" STEEL	3" X 3" X 3"HIGH	100 DEGREE (FOR CURVED BACKS)
12220	LATERAL L-STYLE SUPPORT MOUNT	3/16" ALUMINUM	3" X 3" X 2"HIGH	90 DEGREE









Easy drop-in style mount




14416 & 14418 Mounting holes


Removable slide-in mounts

For 7/16" diameter rod, combine with pad bracket (page 19) and support pad (page 50). Custom heights available.

ITEM #	DESCRIPTION	MOUNT STYLE	COLLAR SIZE
14410	REMOVABLE SLIDE IN MOUNT	RAIL	3/4"
14411	REMOVABLE SLIDE IN MOUNT	RAIL	7/8"
14412	REMOVABLE SLIDE IN MOUNT	RAIL	1"
14414	REMOVABLE SLIDE IN MOUNT	RAIL - 2 HOLE	
14416	REMOVABLE SLIDE IN MOUNT	SEAT INSERT	









Slotted rail mounting (2 single rail inserts required - not included)

Removable locking rail mounts

Twin button self-locking style, for 7/16" diameter rod, combine with pad bracket (page 19) and support pad (page 50). Custom heights available.

ITEM #	DESCRIPTION	RAIL STYLE	RAIL COLLAR SIZE	LENGTH
14420	REMOVABLE LOCKING RAIL MOUNT	ROUND	3/4"	2-3/4"
14430	REMOVABLE LOCKING RAIL MOUNT	ROUND	3/4"	4"
14440	REMOVABLE LOCKING RAIL MOUNT	ROUND	3/4"	6"
14421	REMOVABLE LOCKING RAIL MOUNT	ROUND	7/8"	2-3/4"
14431	REMOVABLE LOCKING RAIL MOUNT	ROUND	7/8"	4"
14441	REMOVABLE LOCKING RAIL MOUNT	ROUND	7/8"	6"
14422	REMOVABLE LOCKING RAIL MOUNT	ROUND	1"	2-3/4"
14432	REMOVABLE LOCKING RAIL MOUNT	ROUND	1"	4"
14442	REMOVABLE LOCKING RAIL MOUNT	ROUND	1"	6"
14424	REMOVABLE LOCKING RAIL MOUNT	SLOTTED RAIL		2-3/4"
14434	REMOVABLE LOCKING RAIL MOUNT	SLOTTED RAIL		4"
14444	REMOVABLE LOCKING RAIL MOUNT	SLOTTED RAIL		6"



All receivers supplied with dual holes to allow mounting on either side of chair.







14436



14446



Shown with pad and pad bracket



All receivers supplied with dual holes to allow mounting on either side of chair.



Removable locking seat insert mounts

Twin button self-locking style, for 7/16" diameter rod, combine with pad bracket (page 19) and support pad (page 50). Custom heights available.

ITEM #	DESCRIPTION	STYLE	LENGTH
14426	REMOVABLE LOCKING SEAT INSERT MOUNT	STRAIGHT	2-3/4"
14436	REMOVABLE LOCKING SEAT INSERT MOUNT	STRAIGHT	4"
14446	REMOVABLE LOCKING SEAT INSERT MOUNT	STRAIGHT	6"





Abductors






Pad angle adjustment





Pad width adjustment from 4" to 10½"





Dual adjustable abductor - complete with pads

Fully adjustable pad mounts allow independent positioning of the abductor pads at any angle and up to a 10-1/2" width, self-locking flip down or removable main mount, adjustable depth horizontal bar, custom length and heights available.

ITEM#	DESCRIPTION	MOUNTING	FOR SEAT THICKNESS	PAD SIZE
14910	DUAL ADJUSTABLE ABDUCTOR WITH PADS - SMALL	FLIP DOWN	2" TO 5"	3-1/2" X 4-1/2"
14912	DUAL ADJUSTABLE ABDUCTOR WITH PADS - MEDIUM	FLIP DOWN	2" TO 5"	4-1/2" X 5-1/2"
14914	DUAL ADJUSTABLE ABDUCTOR WITH PADS - LARGE	FLIP DOWN	2" TO 5"	5-1/2" X 6-1/2"
14920	DUAL ADJUSTABLE ABDUCTOR - 4" HIGHER WITH PADS - SMALL	FLIP DOWN	2" TO 9"	3-1/2" X 4-1/2"
14922	DUAL ADJUSTABLE ABDUCTOR - 4" HIGHER WITH PADS - MEDIUM	FLIP DOWN	2" TO 9"	4-1/2" X 5-1/2"
14924	DUAL ADJUSTABLE ABDUCTOR - 4" HIGHER WITH PADS - LARGE	FLIP DOWN	2" TO 9"	5-1/2" X 6-1/2"
14930	DUAL ADJUSTABLE ABDUCTOR WITH PADS - SMALL	REMOVABLE	2" TO 5"	3-1/2" X 4-1/2"
14932	DUAL ADJUSTABLE ABDUCTOR WITH PADS - MEDIUM	REMOVABLE	2" TO 5"	4-1/2" X 5-1/2"
14934	DUAL ADJUSTABLE ABDUCTOR WITH PADS - LARGE	REMOVABLE	2" TO 5"	5-1/2" X 6-1/2"
14940	DUAL ADJUSTABLE ABDUCTOR - 4" HIGHER WITH PADS - SMALL	REMOVABLE	2" TO 9"	3-1/2" X 4-1/2"
14942	DUAL ADJUSTABLE ABDUCTOR - 4" HIGHER WITH PADS - MEDIUM	REMOVABLE	2" TO 9"	4-1/2" X 5-1/2"
14944	DUAL ADJUSTABLE ABDUCTOR - 4" HIGHER WITH PADS - LARGE	REMOVABLE	2" TO 9"	5-1/2" X 6-1/2"





Abductors



Dual adjustable abductor - without pads

Pad width adjustment from 4" to 101/2"

Fully adjustable pad mounts allow independent positioning of the abductor pads at any angle and up to a 10-1/2" width, self-locking flip down or removable main mount, adjustable depth horizontal bar.

ITEM#	DESCRIPTION	MOUNTING	FOR SEAT THICKNESS
14800	DUAL ADJUSTABLE ABDUCTOR - HARDWARE ONLY	FLIP DOWN	2" TO 5"
14802	DUAL ADJUSTABLE ABDUCTOR - 4" HIGHER - HARDWARE ONLY	FLIP DOWN	2" TO 9"
14810	DUAL ADJUSTABLE ABDUCTOR - HARDWARE ONLY	REMOVABLE	2" TO 5"
14812	DUAL ADJUSTABLE ABDUCTOR - 4" HIGHER - HARDWARE ONLY	REMOVABLE	2" TO 9"






Abductors





14850





Single pad abductor - without pad

One-piece custom pad mounting, self-locking flip down or removable main mount, adjustable depth horizontal bar. Custom pad hole spacing available.

ITEM #	DESCRIPTION	MOUNTING	FOR SEAT THICKNESS
14850	SINGLE PAD ABDUCTOR - HARDWARE ONLY	FLIP DOWN	2" TO 4"
14852	SINGLE PAD ABDUCTOR - HARDWARE ONLY	FLIP DOWN	2" TO 8"
14865	SINGLE PAD ABDUCTOR - HARDWARE ONLY	REMOVABLE	2" TO 4"
14867	SINGLE PAD ABDUCTOR - HARDWARE ONLY	REMOVABLE	2" TO 8"